

**SINGLE UNIFORM TYPE INSPECTION(SUTI) REPORT
FOR VEHICLES OF CATEGORY MA, MB AND MC**

MAKE:	MODEL	CATEGORY
ENGINE No.	VIN:	

ADR 2/00 DOOR LATCHES AND HINGES.

CLAUSE NO	FEATURE	Compliance	SSR NO
2.2.1.1	Two latch positions?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
2.2.1.1.1/2	Longitudinal and transverse restraints?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
2.2.1.3	Locks on all side doors and operating mechanism in the interior?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
2.2.1.3.1	Do front door locks prevent their opening from outside?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
2.2.1.3.2	Rear Door Locks MA only Do the rear door locks prevent their opening from inside and outside? <u>Or</u>	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	Rear door locks prevent opening from outside, and from inside by engagement of 'Child Safety Locks?'	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
2.4	If 'E' marked R11, Approval No.	#	

ADR 3/02- SEATS AND SEAT ANCHORAGES

CLAUSE NO	FEATURE	Compliance	SSR NO
5.8.1	Self-locking restraining device and release control provided on all hinged seats or seat backs?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.8.2	Where the seat must hinge for access, is release control readily accessible to the occupant of that seat, and to the occupant of any seat immediately behind?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.8.6	Where 'SEATS' are mounted on hinged engine covers, is cover self latching?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7	If 'E' marked R17, Approval No.	#	

ADR 4/03 – SEATBELTS

CLAUSE NO	FEATURE	Compliance	SSR NO
5.3	Retractor lap sash seat belts on all outboard seating positions? (except folding 3 rd row cargo area (ADR 5/04, CI 5.3(2)) (Note outboard positions without retractors)	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.3.1.2	Lap belts, at least, for all other seating positions?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.7	For any two seating position, identify:		
	(1) location		
	(2) mfr name/trade mark #	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(3) date of manufacture M/Y(not required if ECE)	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(4) identification code #	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(5) AS2596 Lic no	#	

Notes:.....
.....
.....

**SINGLE UNIFORM TYPE INSPECTION(SUTI) REPORT
FOR VEHICLES OF CATEGORY MA, MB AND MC**

	Buckle Identification code if different to Lap/Sash			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	If 'E' marked R16, Approval No.....			#	
5.3.1.1	Driver's seatbelt only incorporate an ELR?			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.3.1.2	All other outboard seatbelts incorporate an ELR and/or an ALALR?			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.4	Removal of seatbelt assembly or separation of functional components without tools prevented?			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.8.1	Are all buckles of a quick-release design?			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.8.1	Are release instructions printed legibly on the front of the buckle and/or the release coloured red or orange? (for ECE)			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.9	Instructions specified for use of seat belt assembly in the vehicle handbook or otherwise supplied as per ADR?			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
6.3.1	Any free end of strap of a seatbelt, (1) Prevented from passing through an adjuster?			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
6.3.3	(2) Have at least 25mm available grip when fully extended?			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
6.3.2	For 'Outboard Seating Positions' adjacent to a door, (3) Restrained against another strap?			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.4	Buckle component of the retracting strap accessible?			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.5	Buckle component of the non-retracting part of seatbelt assembly (for individual front seats), supported by rigid member and pivots no more than 50mm vertically?			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.6	Positive feature to restrain outboard buckles?			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

ADR 5/04 – ANCHORAGES FOR SEATBELTS

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
5.2.1	Seat belt anchorages for all seating positions?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.5.5	No upper torso anchorage for any side facing seat?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.1.1	Lap anchor points on opposite sides of 'Seating Reference Plane'; minimum separation at least 165 mm. ?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
13	If 'E' marked R14, Approval No	#	

ADR 8/01 - SAFETY GLAZING MATERIAL

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
5.3	Is transparent material other than glass used in the vehicle? If YES, note the location and markings.	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> align="center">#	
6.1	All glazing suitably marked?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.4	Windscreen glass marked as being laminated?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes:.....
.....
.....

**SINGLE UNIFORM TYPE INSPECTION(SUTI) REPORT
FOR VEHICLES OF CATEGORY MA, MB AND MC**

8.1	Glazing standard and/or approval No. (Record all markings on glass)	#	
	(1) Windscreen ?		
	(2) Driver's side Window ?		
	(3) Rear screen ?		

ADR 10/01 - STEERING COLUMN

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
10.4	If 'E' marked' R12, Approval No	#	

ADR 11/00 – INTERNAL SUN VISORS

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
11.3.2	If sun visors fitted are they padded?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
11.2.1	Mountings have any edge with a radius of not less than 3mm?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
11.2.2	If mirror fitted, thickness of energy absorbing material around edge of mirror, at least 1.5mm?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
11.4	If 'E' Marked R21, Approval No:	#	

ADR 13/00 – INSTALLATION OF LIGHTS & LIGHT SIGNALLING DEVICES

- (1) If any item in column 1 is 'E' Marked note marking in Column 2.
 (2) Audit at least 2 items for each of Columns 3 to 9 inclusive, Circle non-compliances, otherwise tick.
 (3) Indicate compliance status for table at end in space provided.

FEATURES								
(1) FEATURE (CLAUSE NO)	(2) If 'E' Marked Approval NO	Height (#)		(5) APART (#)	(6) EDGE (#)	(7) G (*)	(8) C (*)	(9) R (*)
		(3) MAX	(4) MIN					
Main beam (*) (CI A.6.1.)&(A.6.1.4)					(*) Dipped beam			Dip
Dipped beam (*) (CI A.6.2.)		1200	(*) 500		400	Main		Main
Front fog lamp (+) (CI A.6.3)		800 and <Dip. Beam	250		400	%f		Main Swiv

Notes:.....

**SINGLE UNIFORM TYPE INSPECTION(SUTI) REPORT
FOR VEHICLES OF CATEGORY MA, MB AND MC**

(1) FEATURE (CLAUSE NO)	(2) If 'E' Marked Approval NO	Height (#)		(5) APART (#)	(6) EDGE (#)	(7) G (*)	(8) C (*)	(9) R (*)
		(3) MAX	(4) MIN					
Reversing lamp (*) (CI A.6.4)		1200	250			%r		
Direction indicator Front (CI A.6.5)& (A.6.5.4.2) (*)		1500/ ≥2100	350	600	400	%f		Park
Direction indicator Rear (CI A.6.5)& (A.6.5.4.2) (*)		1500/ ≥2100	350	600	400	%r		Park
Direction indicator Side (CI A.6.5.)& (A.6.5.4.2) (*)		1500/ ≥2300	350			%		Park
Stop lamp (CI A.6.7)& (A.6.7.1.) (*)		1500/ ≥2100	350		400	%r		Park
Cornering Lamp (*) (CI 7.4.1		<Dip. beam						
Centre High mounted stop lamp (CI A.6.7) ECE R48 approved only			<150 below bottom edge of rear screen or > 850 above ground					
Rear registration plate lamp (*) (CI A.6.8)							Rpos	%r
Fr. Position lamp (CI A.6.9) (*)		1500/ ≥2100	350		400	%f	SMar	%f
Rr. position lamp (CI A.6.10.) (*)		1500/ >2100	350		400	%r	Reg	%r
Rear fog lamp(+) (CI A.6.11), (A.6.11.4.) & (A.6.11.9)		1000	250	≥100 FROM STOP		%r		RPos Park
Parking Lamp (+) (CI A.6.12)		1500/ ≥2100	350		400	%		%

Notes:.....
.....
.....

**SINGLE UNIFORM TYPE INSPECTION(SUTI) REPORT
FOR VEHICLES OF CATEGORY MA, MB AND MC**

(1)FEATURE (CLAUSE NO)	(2)If 'E' Marked Approval NO	Height (#)		(5) APART	(6) EDGE	(7) G	(8) C	(9) R
		(3) MAX	(4) MIN	(#)	(#)	(*)	(*)	(*)
<u>Reflex reflector</u> Rear (*) (CI A.6.14)		900 ≥1500	250		400	%r	C/ Parts	
(Non-triangular) Front (+) (CI A.6.16.)		900 ≥1500	250	600/≤400 (A.6.16.4.1)	400	FPos	C/ Parts	
Side (+) (CI A.6.17)		900 ≥1500	250			%		
Side marker lamps (+) (CI.A.6.18) or (CI 7.2)		1500/ ≥2100	250(Cl A.6.18) 600 (CI 7.2.4.2)				Fpos	
Day time running lamp (+) (CIA.6.19)		1500	250	600/≤400 (A.6.19.4.1)	400	%f	%f	Indic
Cornering lamp(+) CI A.6.20		900 and<Dip. Beam	250		400			
(*) = Mandatory; (+) = If fitted. (#) = HEIGHT - To highest (Max) and lowest (Min)points on illuminating surface. APART - Distance between innermost edges of illuminating surface. EDGE - Maximum distance from outer edge of vehicle to illuminating surface. All dimensions in mm Column (7) to (9) indicate specific lamps which may be grouped (G), combined (C), or reciprocally incorporated,(R). % = Permitted with any other lamp. %f = Permitted with any other front lamp. %r = Permitted with any other rear lamp.		Dipped Beam = No wider than Dipped Beam. Dip = Permitted with Dipped Beam. Main = Permitted with Main Beam. Fpos = Permitted with Front Position lamps. C/Part = May have common parts with a Lamp. Park = Permitted with Park Lamps. Smar = Permitted with Side Marker Lamps. FPos = Permitted with Front Position Lamps. RPos = Permitted with Rear Position Lamps. Reg = Permitted with Rear Registration Plate Lamp. Indic = Not permitted with Indicator Lamps. Swiv = Not permitted to swivel ≥<XXX= Permitted under specific circumstances.			COMPLIANCE Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>		SSR NO	

Notes:.....

**SINGLE UNIFORM TYPE INSPECTION(SUTI) REPORT
FOR VEHICLES OF CATEGORY MA, MB AND MC**

ADR 13/00 - INSTALLATION OF LIGHTS & LIGHT SIGNALLING DEVICES (Continued)			
CLAUSE NO	FEATURE	COMPLIANCE	SSR No
A.2.13	VISIBILITY Are apparent surfaces of all lamps unobstructed by any parts of the vehicle (including options eg. bull-bar)?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.5 A.5.5.1	GENERAL Are all lamps constituting a pair symmetrical? (Except reverse and rear fog lamps)	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.5.10	No red light visible from the front and no white light (except reversing light) visible from the rear of the vehicle?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.5.11	Can all front and rear position lamps, the rear registration plate lamp, and the side marker lamps (if fitted) be only switched on and off together?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.5.12	Is it not possible to switch on the main-beam, dipped-beam and front and rear fog lamps with out first switching on the lamps referred to in clause A.5.11?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.5.14.1	Are no lamps (other than driving, dipped beam or front fog lamps) concealed?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.5.14.2	Is it possible to move a concealed lighting device into the position of use, without the aid of tools, in the event of a defect?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.1 A.6.1.6	MAIN-BEAM HEADLAMPS If main-beam headlamps swivel with steering, do they function as main-beam only?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.1.7.1	Are all main beams switched off when changing over from main beam to dipped beam?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.1.8	Circuit closed tell-tale fitted and operating ?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.2 A.6.2.8	DIPPED – BEAM HEADLAMPS Control within easy reach of driver? Is a tell-tale fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.2.7	(1) If bend lighting is fitted is the additional light source located in the dipped-beam headlamps or in a lamp (except Main-beam) grouped or reciprocally incorporated with the respective dipped-beam headlamp? (2) If dipped-beam headlamps are switched ON or OFF automatically is it possible to switch these dipped-beam headlamps ON and OFF manually?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.2.8	Where the whole beam or the kink of the elbow of the cut-off is moved to produce bend lighting is a flashing warning light provide in the event of a malfunction of the displacement of the kink of the elbow of the cut-off?.	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.2.9 A.6.2.7	DIPPED – BEAM HEADLAMPS WITH GAS-DISCHARGE LAMPS Gas-discharge headlamps fitted with cleaning device(s) and automatic levelling device? Do dipped-beam headlamps remain switched on during main-beam operation?.	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes:.....
.....
.....

**SINGLE UNIFORM TYPE INSPECTION(SUTI) REPORT
FOR VEHICLES OF CATEGORY MA, MB AND MC**

ADR 13/00 - INSTALLATION OF LIGHTS & LIGHT SIGNALLING DEVICES (Continued)			
CLAUSE NO	FEATURE	COMPLIANCE	SSR No
A.6.3.7	FRONT FOG LAMP (OPTIONAL) Can the front fog lamps be switched on and off independently of the Main beam & dipped beam Headlamp?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.3.8	An independent non-flashing Circuit-closed tell-tale fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.4.7.1	REVERSING LAMPS Is the lamp always lit when reverse gear engaged? and	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	The device controlling starting and stopping engine is in a position where engine can operate?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.5.7	DIRECTION INDICATOR LAMPS Independent switch and flash in phase?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.5.8	(1) Is a visible and/or audible 'operational tell-tale' fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.5.8	(2) Tell-tale behaviour on turn signal malfunction?		
A.6.5.9	(A) - Marked frequency change (B) - Continuously on or (C) – Continuously off (Indicate A, B, C,)	<input style="width: 50px; height: 20px;" type="text"/>	
	(1) Lights up in 1 sec. And flashes 60 to 120 per min?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(2) Extinguishes within one and one half seconds?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(3) If one lamp fails(other than due to a short-circuit)do other lamps flash when actuated?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.6.1	HAZARD WARNING LAMP All direction indicator lamps flash in phase?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.6.7	Independent switch?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.6.8	Flashing 'circuit closed tell-tale' fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.6.9	Can Hazard Warning be activated with engine off?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.4.7.1	CORNERING LAMPS (Optional Certified to ADR 13/00 CI 7.4) Lighted continuously with corresponding Direction Indicator?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.4.7.2	Lighted only when Headlamp switch is 'ON'?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.7.7	STOP LAMPS Lighted with service brake application with ignition ON?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.7.8	If fitted, is 'operating tell-tale' non-flashing type?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.7.2	CENTRE HIGH MOUNTED STOP LAMP (Certified to ECE R 48) Fitted on vehicle medium longitudinal plane, or offset if located on one or two movable parts of the vehicle (e.g. doors)? If offset are '1' or '2' lamps fitted (Please circle)	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes:.....
.....
.....

**SINGLE UNIFORM TYPE INSPECTION(SUTI) REPORT
FOR VEHICLES OF CATEGORY MA, MB AND MC**

ADR 13/00 - INSTALLATION OF LIGHTS & LIGHT SIGNALLING DEVICES (Continued)			
CLAUSE NO	FEATURE	COMPLIANCE	SSR No
A.6.8.2	REAR REGISTRATION PLATE LAMP Illuminates the registration plate area?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.9.8	FRONT POSITION LAMPS Instrument light as tell-tale? If No, is a non-flashing tell-tale fitted? Colour WHITE , or AMBER if combined with Side Marker Lamp (Please Circle)	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.10.8	REAR POSITION LAMPS Common 'circuit-closed tell-tale' with front position lamps?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.11.4.1	REAR FOG LAMPS (OPTIONAL) If only one rear fog lamp is fitted, is it mounted on the centre line or to the right hand side?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.11.9	Distance between illuminated surface of the rear fog lamp and each stop lamp greater than 100mm?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.11.7.1	Can rear fog lamp operate only when dipped beam, main beam lamps or the front fog lamp is on?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.11.7.4	When rear fog lamp is switched 'ON', does it remain 'ON' when switching from dipped to main beam?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.11.7.2	Can rear fog lamp be extinguished independently of any other lamps?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.11.7.3.1 or A.6.11.7.3.2	Rear fog lamps are switched off and remain off (until deliberately switched on again) when the position lamps are switched 'OFF'? or Audible warning provided with ignition key removed, drivers door open and the rear fog lamp switch 'ON'?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.11.8	Independent, non-flashing, circuit closed tell-tale fitted and operational?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.12.7	PARKING LAMP (OPTIONAL) (1) Switch to permit parking lamps on the same side to be lit independently of any other lamps?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.12.8	(2) Able to operate with the ignition switch in 'OFF' position? If fitted, impossible to confuse tell-tale with that for the front and rear position lamps?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes:.....
.....
.....

**SINGLE UNIFORM TYPE INSPECTION(SUTI) REPORT
FOR VEHICLES OF CATEGORY MA, MB AND MC**

ADR 13/00 - INSTALLATION OF LIGHTS & LIGHT SIGNALLING DEVICES (Continued)				
CLAUSE NO	FEATURE		COMPLIANCE	SSR No
A.6.18.8	SIDE MARKER LAMPS (CERTIFIED TO ECE R48) OPTIONAL (MANDATORY for vehicle exceeding 6m in length) If Optional tell-tale fitted, is it the same as that for the front and rear position (side) lamps?		Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.18.4.3	If less than 6m in length, lamps fitted to front 3 rd of vehicle and/or rear 3 rd of vehicle?		Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A6.18.4.3	If more than 6m in length, at least one lamp fitted to the middle 3 rd , the distance between two adjacent lamps not more than 3m, and the foremost lamp within 3m of the front, & the rearmost lamp within 1m of the rear?		Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.18.7	If 'Amber' and flash, do they flash in phase with indicators?		Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.19.7	DAYTIME RUNNING LAMP (OPTIONAL) If fitted, switch off automatically when headlamps are switched 'ON'?		Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.20	CORNERING LAMPS (Certified to ECE R 48/02 OPTIONAL) (1) Are corning lamps so connected that they cannot be activated unless the main-beam headlamp or the dipped-beam headlamps are switched ON at the same time?.		Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.20.7	(2) Are lamps only switched ON automatically when the direction indicator on the same side of the vehicle are switched ON and/or the steering angle is changed from the straight-ahead position towards the same side of the vehicle?		Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(3) Are cornering lamps switched OFF automatically when the direction indicator is switched OFF and/or the steering angle has returned in the straight-ahead position?.		Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.20.9	Cornering lamps are not activated at vehicle speeds above 40km/h?		Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

ADR 14/02 - REAR VISION MIRRORS

CLAUSE NO	FEATURE		COMPLIANCE	SSR NO
14.2.1	Reflective surfaces of the internal mirror flat?		Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
14.2.3.1.1	Driver's external mirror fitted? , is it 'Flat' or 'Convex'? . (circle one)		Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	If Driver's external mirror 'Convex' is it 'E Marked'?		Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	If LHS external mirror fitted, is it 'Flat' or 'Convex'? (circle one).		Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
14.2.3.1.1	RHS external mirror adjustable from the drivers seating position?		Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
14.2.3.1.1	RHS external mirror not obscured by the unwiped portion of the windscreen?		Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
14.7	If 'E' marked R46, Approval NO.	Internal	External	#

Notes:.....
.....
.....

**SINGLE UNIFORM TYPE INSPECTION(SUTI) REPORT
FOR VEHICLES OF CATEGORY MA, MB AND MC**

ADR 18/02 - INSTRUMENTATION			
CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
18.3	MA Category Only. Speedometer on driver's side and all visual indicators readily visible by the driver?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
18.4.2	Speed indicating element colour and background contrast?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
18.5.1.1.1	For All Vehicle Categories. Vehicle speed indicated in km/h only?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
18.5.1.2	Speedometer readily visible to the driver?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
18.5.2.1.1	Odometer. Distance travelled indicated in a least 1km units, at least from 1 to 600 000 km?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

ADR 18/03 – INSTRUMENTATION (From 01-JULY-2006 for ALL NEW MODELS)

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
5.1	Vehicle speed indicated in km/h only? If NO Is the mp/h scale the secondary scale?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.5.1	Speedometer located within direct field of view of the driver and clearly legible both day and night?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.5.1.1	Speed values indicated in intervals not exceeding 20km/h (when the highest value on the display is less than 200km/h), or 30km/h (when the highest value is more than 200km/h). ? Please circle. Graduations at least in 1, 2, 5 or 10km/h increments?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

ADR 21/00 - INSTRUMENT PANEL

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
21.2.1	Panel left of steering wheel appears to be padded?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
21.3.1	Interior compartment door(s) have a positive retention system?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

ADR 22/00 - HEAD RESTRAINTS



CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
22.2.1	Head restraints fitted to front outboard seats?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
22.2.2.1	Distance between upper and lower edges not less than 115 mm?mm	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
22.2.2.2	Minimum height of upper boundary above intersection of seat cushion and seat back at centre line of seat greater than 700mm?mm	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
22.2.3	Width not less than 170 mm for individual seat and 250 mm for bench seat at approx 700mm?mm	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes:.....
.....
.....

**SINGLE UNIFORM TYPE INSPECTION(SUTI) REPORT
FOR VEHICLES OF CATEGORY MA, MB AND MC**

22.6	If 'E' Marked, R25 or R17 Approval No	#	
------	--	---	--

IF HEAD RESTRAINT NON-SOLID, GIVE DIMENSIONS

	A = _____ B = _____ C = _____		A = _____ B = _____
---	-------------------------------------	--	------------------------

ADR 23/01 - PASSENGER CAR TYRES

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
23.2.3	For one tyre fitted, identify: (If tyre size different front and rear, complete for 1 Fr & 1 Rr tyre) (1) Manufacturer or trade mark ...Fr..... Rr..... (2) Tyre size, speed category and carcass construction symbols Fr..... Rr..... (3) Date code. Fr..... Rr.....	#	
23.2.2.1.2	At least 4 tread wear indicators?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
23.2.3	Each tyre labelled on both sides, except for 'Asymmetrical Tyres', which are at least labelled on the outer 'Sidewalls'?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
23.2.3.8	If tyre is 'Asymmetrical', outer face indicated?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
23.4	If 'E' marked R30, Approval No	#	

ADR 25/02 - ANTI-THEFT LOCK

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
A.5.9.1	Switch position 'Engine On' to 'Anti-theft' through 'Engine Off'?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.1.5	Key removal only in the anti-theft position?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.1,A.6.3	With key in anti-theft position, is one of the following impossible? Steer vehicle/Engage forward drive gears/Release a brake? (Circle which is applicable)	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes:.....



**SINGLE UNIFORM TYPE INSPECTION(SUTI) REPORT
FOR VEHICLES OF CATEGORY MA, MB AND MC**

A.6.1.5	'Engine off' position to 'anti-theft' position by more than a single rotary or linear motion of the key, or if key removal activates the 'anti-theft device, more than 2mm of movement required to activate?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
6.0	If 'E' marked, R18 Approval No	#	

ADR 30/01 - SMOKE EMISSION CONTROL FOR DIESEL VEHICLES

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
30.5.1	Regulation and Mark (If 'E' marked R 24, Approval No)	#	

ADR 31/01 - PASSENGER CAR BRAKES MA Category. (Optional for MB and MC category.)

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
A 5.1.2.1 A 5.1.2.2 A 5.1.2.3	Braking controls readily accessible to driver and easily operated?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A 5.2.2.2	Service brake control separate from Park brake?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A 5.2.2.5	Secondary brake system provided?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A 5.2.2.7	1. Is service brake a split system? 2. Combined reservoir for split system? 3. If Yes, is there a divider fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A 5.2.3 A 5.2.8.1 A 5.2.3	1. Is a Service brake failure RED tell-tale lamp fitted? 2. For electrical detected failures is a YELLOW failure lamp fitted? 3. Is a Park brake indicator lamp fitted? 4. Park brake indicator a separate Lamp (S), or a combination unit (C) with service brake failure lamp? (Indicate S or C).	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> <div style="border: 1px solid black; width: 50px; height: 15px; margin: 5px auto;"></div>	
A 5.2.6	Service brake on all wheels?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A 5.2.11	Adequate provision made for adjustment of service and park brake system?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A 5.2.11.2	Is it possible to easily check wear of service brake linings? If NO Is an acoustic or optical warning device provided?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A 5.2.12	For hydraulic braking systems are the filling ports of the fluid reservoirs readily assessable and fluid level easily checked? If NO Is a RED warning signal provided to draw attention to a low fluid level?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A 5.2.13	Is a label identifying the type of fluid (DOT 3/DOT 4/DOT 5), and the symbol  (For Non-Petroleum base fluid), or  (For Petroleum based fluid) fitted within 100mm of fluid ports?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes:.....
.....
.....

**SINGLE UNIFORM TYPE INSPECTION(SUTI) REPORT
FOR VEHICLES OF CATEGORY MA, MB AND MC**

A 6 4.1.1	If ABS fitted is a YELLOW warning signal provided?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
6	Regulation and Mark (If 'E' marked R 13, Approval No)		

ADR 34/01 - CHILD RESTRAINT ANCHORAGES & CHILD RESTRAINT

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
34.2.1,34.3.1 34.3.2	Child Restraint Anchorages provided for each applicable rear seating position? Note positions provided with CRA's (Circle where applicable) 2 nd Row L C R 3 rd Row L C R	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
34.2.1	Child Restraint Anchor Fitting installed in at least the centre rear position, unless centre lap sash belt fitted? If not fitted in centre position note where fitted. L R	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
34.2.1.1.2	For positions where 'Anchor Fitting' is not provided, does anchorage have 5/16 UNC thread?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
34.2.1.2.2	For positions where 'Anchor Fittings' are not provided and a non-standard bolt is required, is the Bolt and appropriate spacer provided in the glove box?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
34.5.1	Is each 'Child Restraint Anchorage' and 'Child Restraint Anchor Fitting' located within the vehicle in a part of the body structure which would not normally be moveable, or if moveable would not alter the tension in any 'Upper Anchorage Strap'?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
34.5.2	Is anchorage located within the shaded area in Fig 6?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	Or		
34.5.4	Is the entire 'Interface Profile' of each 'Child Restraint Anchor Fitting' located within the shaded zone shown in Figures 9 -13? If No	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
34.5.4.1	Is 'Interface Profile' equipped with a routing device that	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
34.5.4.1.1	1. Ensures that the 'Upper Anchorage Strap' functions as if the 'Interface Profile' were located within the shaded zone?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
34.5.4.1.2	2. Is at least 65mm behind the 'Torso Reference Line', in case of a non-rigid webbing-type routing device or a deployable routing device, or at least 100mm, in the case of a fixed rigid routing device?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
34.2.1.1.2 34.6,	Clearance provided around each 'Fitting' to allow latching and unlatching of 'Attaching Clip'	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
34.2.2	Location information and instructions for use provided?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
34.4.1.3	Access provided without the removal of items, except for closure plugs?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes:.....
.....
.....

**SINGLE UNIFORM TYPE INSPECTION(SUTI) REPORT
FOR VEHICLES OF CATEGORY MA, MB AND MC**

ADR 35/01- COMMERCIAL VEHICLE BRAKE SYSTEMS (MB & MC CATEGORY ONLY)			
CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
5.1.1	Service brake on all wheels?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.1.4 5.3.3	Adequate provision made for adjustment of service and park brake system?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.5.1	Secondary brake system provided?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.6.1	If service brake is hydraulic, is it a split system?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.6.1.2	(1) Combined reservoir for split system?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(2) If yes, is there a divider fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.6.4	Label on or near brake fluid reservoir cap?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.2.1	Service brake failure indicator: (1) Provided?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.2.6	(2) Lamp activation satisfactory?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.2.10	(3) Labelling satisfactory with at least the word 'BRAKE', or ISO symbol (ⓘ)	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.1.11	Audible indicator provided with single brake power unit?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.7.5.1	For system with brake power units, is a separate gauge provided for each reservoir?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.5.4	Braking controls readily accessible to driver and easily operated?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.3.1, 5.3.2,	Park Brake. (1) Retention in applied position mechanical? (2) Control separate from service brake? (3) Min of 2 separate and distinct movements to release? If NO is it, Designed to minimise the possibility of inadvertent release?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.4	(1) Park brake indicator a separate lamp (S), or a combined unit (C) with service brake failure lamp? (indicate S or C) (2) Labelling satisfactory with the word 'PARK BRAKE', 'PARKING BRAKE', or (P), or 'BRAKE or ⓘ if combined with service brake?	<div style="border: 1px solid black; width: 50px; height: 20px; margin: 0 auto;"></div> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
9	If 'E' marked, R13 Approval No	#	

ADR 42/04 - GENERAL SAFETY REQUIREMENTS

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
5.	BONNET LATCHING If bonnet front opening, is a second latching position provided?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
6.	DIESEL ENGINES Is device fitted to prevent inadvertent starting of engine?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes:.....
.....
.....

**SINGLE UNIFORM TYPE INSPECTION(SUTI) REPORT
FOR VEHICLES OF CATEGORY MA, MB AND MC**

7.1	STEERING SYSTEM Steering wheel located centrally or to the right?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.1.2	Is effective steering of the vehicle maintained due to failure of any non-mechanical component of the steering system? (For non-mechanical steering only)	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.1.3	For vehicles with 'Full-Power Steering Equipment' is a steering failure/defect visual warning signal provided to the driver?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.2	AUTOMATIC TRANSMISSION Fitted with automatic transmission? If YES:	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.2.1	Starter inoperative in forward or reverse?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
9.1.1	ELECTRICAL WIRING Supported at not more than 600 mm intervals?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
9.1.2/3/4	Properly insulated, located and protected from chafing?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
10.1.1	EXHAUST OUTLETS (1) Exhaust pipe extends at least 40 mm beyond rearmost unsealed joint of floor-pan? (2) Exhaust outlet within vehicle perimeter in plan?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
10.2.1	If exhaust discharges to the side of vehicle is it to the right side and downwards between 15 deg and 45 deg to the horizontal?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
10.1.3	If the exhaust discharges to the rear of the vehicle, is it between 10 deg above and 45 deg below horizontal?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
11.1.3	EXTERNAL OR INTERNAL PROTRUSIONS Devoid of external or internal projections or sharp or pointed fittings?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
11.1.4	Bumper bar ends turned back?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
12.1	FIELD OF VIEW Driver's view on either side and in all directions in front of the vehicle unobstructed?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
14.1.1	WHEEL GUARDS (MUDGUARDS) Are front and rear wheels shrouded by wheel guards that will:	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(1) Direct downwards stones, mud, ice and snow as far as practicable?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(2) Prevent direct contact in collision?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
14.1.2.1.1	Provides cover at least as shown in Fig. 1 or 2 of ADR 42/00 as applicable? (Fig. 1 for category MA, Fig. 2 for MB and MC)?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
14.2.5	For MB and MC Category only If mud-flaps are required to meet requirements of clause 42.12.2.2: do mud-flaps reach a point not higher than 230 mm above the ground for vehicles other than off-road vehicles, and 300 mm for vehicles designed for off-road operation, and provides cover for Overall Tyre Width of all tyres?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
15.	BRAKE TUBING AND BRAKE HOSES All brake hoses and tubing fitted to prevent chafing, kinking or other mechanical damage? If marked, provide details from 1 hose . (1) Location (2)Markings.....	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> #	

Notes:.....
.....
.....

**SINGLE UNIFORM TYPE INSPECTION(SUTI) REPORT
FOR VEHICLES OF CATEGORY MA, MB AND MC**

18	TELEVISION AND VISUAL DISPLAY UNITS Television receiver visual display monitor fitted? If YES:	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
18.1.1/2	Is obstruction of driver's vision or impediment to driver or passenger movement prevented?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
18.1.3	Is it unlikely to increase risk of occupant injury?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
18.2	Is driver's visibility of images other than for driver's aid prevented?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
19.1	WINDOWS AND VENTILATION (1) Can at least half of the windows be opened? If NO:	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
19.1	(2) Is alternative ventilation adequate?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
19.3.2.1	Power for power windows available only through use of key? Except	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
19.3.2.1.1.3	When the key has been removed do the windows remain operational for not more than 45 seconds?:	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
19.3.2.1.1.4.2	If the driver's door is operated within the 45 second period, do windows remain operational for not more than 45 seconds OR	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
19.3.2.6	If power windows continue to operate with the key removed is an automatic reverse function incorporated?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
19.3.2.2	Are all the switches for the rear windows in close proximity of the driver?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
19.3.2.2.1	If no, is there design features to enable the driver to turn off the rear window switches and to initiate the opening of the rear windows?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
19.3.2.4	For windows other than for the driver's position provided with momentary type switches or valves?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
21.2	WARNING DEVICE AUDIBLE Fitted with at least one horn with constant amplitude and frequency characteristics?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
23	DEMISTING OF WINDSCREENS Is a device fitted to remove condensed moisture from the windscreen?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
24	WINDSCREEN WIPERS AND WASHERS (1) Is a power driven windscreen wiping system fitted? (2) Is a windscreen washing system, which directs water onto the swept area fitted? (3) Is the device/s for operating the wipers and washers within easy reach of the driver?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
25	TYRE AND RIM SELECTION Is a tyre placard fitted? Does the placard contains the following information: (1) Manufacturers recommended tyre size? (2) Recommended cold inflation pressures in Kpa? (3) Recommended load rating and speed category? Maximum load rating and speed category of tyre fitted equal to or greater than that on the placard?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes:.....
.....
.....

**SINGLE UNIFORM TYPE INSPECTION(SUTI) REPORT
FOR VEHICLES OF CATEGORY MA, MB AND MC**

	Are all tyres on the placard included on the RVD?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	Part number if shown on the placard?.....Pt No.....	#	

ADR 44/02 - SPECIFIC PURPOSE VEHICLE REQUIREMENTS

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
44.6.3	L.P.G. FUELLED VEHICLES Vehicle clearly permanently marked in a conspicuous position within the engine compartment with the following information?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
44.6.3.1	(1) Installed as per AS1425-1989?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
44.6.3.2	(2) Identification of the installer? (If not the same as the manufacture, note details).	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
44.6.3.3		
44.6.4	(3) Date of installation?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	Are labels to be affixed to registration plates and supplied for inspection, at least 25 mm square and red in colour?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

ADR 60/00 - CENTRE HIGH MOUNTED STOP LAMPS(EXCEPT FOR VEHICLES CERTIFIED TO ECE R48)

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
60.4.1	Is a Central High mounted Stop Lamp fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
60.2.4.3	Does the lamp design provide for easy replacement of the globe without the use of special tools?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
60.4.4.1	Mounted on the vehicles median longitudinal plane?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
60.4.4.2	Mounted with no part of the lens lower than the bottom edge of the rear window by more than 152 mm for convertibles, and 77 mm for other vehicles?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

ADR No 61/02 - VEHICLE MARKING

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
5.1	VEHICLE IDENTIFICATION NUMBER Is the VIN clearly visible on an integral part of the vehicle not easily removed?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	If VIN is directly marked on an integral part of the vehicle, is the minimum height at least 7 mm? If NO What is height of VIN? Indicate in MM.	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>mm #	
	If VIN is on a separate plate which in turn is permanently affixed to an integral part of the vehicle, is the minimum height at least 4 mm?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
6.1	COMPLIANCE PLATE Is an approved Compliance Plate Fitted? If YES, is it satisfactory?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
Circ 0-3-8	FOR ADHESIVE COMPLIANCE PLATE LABELS (1) Is a VIN bar code included on the label? (2) Is the label resistant to counterfeiting? (3) Is a manufacturer's Logo or other unique identifier included on the label?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes:.....
.....
.....

**SINGLE UNIFORM TYPE INSPECTION(SUTI) REPORT
FOR VEHICLES OF CATEGORY MA, MB AND MC**

7	ENGINE NUMBER		
7.1	Is the engine number permanently stamped, cast, laser, engraved or a combination of these on the main component of the engine?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.1.1	Can a legible engine number be readily seen when the engine is installed in the vehicle? If 'No' is one of the following met?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.1.2	1. Are only simple hand tools required to remove any vehicle components?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	Or		
7.1.3	2. Is a supplementary label placed in a conspicuous position in the engine compartment?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	Is the label adequately durable for its environment, and not removable other than by its destruction?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	Is the engine number satisfactorily located as per typical number on RVD form?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
9.1	REGISTRATION PLATES		
9.1.1.1	Are all parts of the front and rear number plate made as per Fig. 1 of the ADR below 1,300 mm from the ground?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
9.1.1.2			
9.1.1.3	No part of the front and rear number plate obscured by any part of or equipment on the vehicle?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

ADR 62/01 – MECHANICAL CONNECTIONS BETWEEN VEHICLES

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
10.1	COUPLINGS AND TOWBARS (OPTIONAL) (1) If fitted, does the ball of a ball coupling, for use with a trailer of ATM not exceeding 3.5t, have a diameter of 50mm? (2) Is coupling marked '50' in 5mm high characters?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
13.1.1	FOR TOWBARS UP TO 3.5t If fitted, does the 'Towbar' display the following information in letters not less than 2.5mm in height; (1) The Manufacturer's, Supplier's, or Importers Identification? (2) Vehicle Make and Model or Towbar Part No? (3) Towing Lug Part No (If different to towbar)? (4) Max Towball down load (Kg)? (5) Rated Towbar capacity (Kg)? (6) FOR TOWING PURPOSES ONLY	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
13.1.1	Is an additional label fitted in a conspicuous position on the vehicle, and displays the following information? (1) Max. Towball down load (Kg)? (2) Rated Towbar Capacity (Kg)? (3) FOR TOWING PURPOSES ONLY?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes:.....
.....
.....

**SINGLE UNIFORM TYPE INSPECTION(SUTI) REPORT
FOR VEHICLES OF CATEGORY MA, MB AND MC**

13.2.1	FOR TOWBARS OVER 3.5t If fitted, does the 'Towbar' display the following information when fitted to the vehicle;		
13.2.1.1	(1) The 'Towbar' manufacturer's name or trade mark?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
13.2.1.2	(2) The 'make and model' shown on the 'Compliance Plate' fitted to the vehicle for which it is designed, or manufacturer's part number?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
13.2.1.3	(3) Its maximum rated capacity expressed in numerals not less than 6mm ?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
13.2.2	Where the information above is not visible when the 'Towbar' is fitted to the vehicle, is an additional plate showing the maximum rated capacity of the 'Towbar' fitted in a conspicuous position adjacent to the 'Towbar'?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
13.4.3	Safety chain attachments fixed to a part of the 'Towbar' which is permanently attached to the vehicle?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

ADR 69/00 - FULL FRONTAL IMPACT OCCUPANT PROTECTION

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
5.5.1	Seatbelt Warning System Visual Indicator; (1) fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.5.2	(2) Activation check satisfactory?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(3) Labelling satisfactory?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

ADR 73/00 – OFFSET FRONTAL IMPACT OCCUPANT PROTECTION (MA with GVM less than 2.5t only)

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
6.1.1	Steering wheel has the inscription 'AIRBAG' ?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
6.1.2	If passengers airbag fitted, is a Warning label as per pictogram figure1 or 2 below fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
6.2.2	For Figure1. (1)Warning label durably affixed such that it is visible to a person installing a rearward facing child restraint? (2)If warning label is not visible when door is closed, is a permanent reference (AIRBAG or SRS AIRBAG) visible at all times?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
6.2.3	OR For Figure 2. Is the label durably affixed to each face of the passengers sun visor so that it is visible at all times, or is the warning visible on the face of the stowed sun visor and a second warning on the roof behind the sun visor?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
6.2.3	For Figure 1. Copy of warning label and detailed information (including the following text) "Extreme Hazard! Do not use a rearward facing child restraint on a seat protected by an airbag in front of it", in owners handbook?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
6.2.4	For Figure 2. Copy of warning label and detailed information (including the following text) "Do not use a rearward facing child restraint on a seat protected by an airbag in front of it", in owners handbook?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
2.4	If 'E' marked R94, Approval No.	#	

Notes:.....
.....
.....

**SINGLE UNIFORM TYPE INSPECTION(SUTI) REPORT
FOR VEHICLES OF CATEGORY MA, MB AND MC**



Figure 1
Dia Min 50 mm



Figure 2
Min 120 x 60 mm

ADR 79/01 – EMISSION CONTROLS FOR LIGHT VEHICLES MA MB & MC GVM less than 3.5t only (Petrol LPG & NG only)			
CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
5.1.2.1	INLET ORIFICES FOR PETROL TANKS. Filler neck internal diameter not more than 23.6mm?(for unleaded fuel nozzle only)	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.1.2.2	If filler neck is greater than 23.6mm, is an unleaded fuel symbol affixed near petrol filler inlet(s)?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.1.3	Is provision made to prevent excess evaporative emissions fuel spillage caused by a missing filler cap by one of the following; (1) An automatic opening and closing, non-removable fuel filler cap? (2) Design feature which avoids excessive evaporative emissions in case of a missing fuel filler cap? (3) Any other feature e.g. a tethered filler cap, a chained filler cap, or a locking filler using the ignition key. In the case of a key is the key only removable in the locked position?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	If 'E' marked, R83 Approval No	#	

ADR 81/01 – FUEL CONSUMPTION LABELLING MA, MB & MC. (N/A to vehicle with GVM greater than 3.5t)

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
4.4.1, 4.4.2, 4.4.3, 4.5.1	Label self adhesive, durable and removable. Visible from outside the vehicle, and shall be placed in a bottom corner of the front windscreen on the inside. As per Fig. 1, Fig 2 (Petrol, Diesel LPG) or Fig 3 (CNG).	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A 1.6	Does the label contain the following information:	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A 1.6.1	1. Vehicle Make & Model description by which vehicle is sold?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A 1.6.2	2. The type of Fuel? (Only the words 'Petrol, Diesel, LPG, CNG and Electric' to be used).	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A 1.7	3. The Fuel consumption value?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A 1.8	4. The CO2 emissions value?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
1.5	Colours used on the label only Black, Red, Yellow, White & Green?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes:.....
.....
.....

**SINGLE UNIFORM TYPE INSPECTION(SUTI) REPORT
FOR VEHICLES OF CATEGORY MA, MB AND MC**

ADR 82/00 - ENGINE IMMOBILISER			
CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
82.32.4.1	Is the Immobiliser set without supplementary action by the driver?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
82.32.5	Is unsetting achieved by one of the following devices: mechanical key / key pad / remote control?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
82.32.6	Status Display if provided by Direction Indicators, do they Flash for not more than 3 seconds?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Has the RVD been checked and found satisfactory?	Y <input type="checkbox"/> N <input type="checkbox"/>	
--	---	--

Inspectors;

Name:..... Signature: Date:

Name: Signature: Date:

Notes:.....
.....
.....